



ASCO



MEND. GROUP
Un espacio en tu salud

Apothecaries Sundries Manufacturing Co.

Straight Type System

Straight Type External Fixator

FX10-01 Large

- 2 PCS Bone Screw 06.0X120mm
- 2 PCS Bone Screw 06.0X140mm
- 1 PC Drill Bit 04.8mm
- 1 PC Allen Wrench 4mm
- 1 PC T-Wrench for bone screws 6.0mm

FX10-02 Medium

- 2 PCS Bone Screw 06.0X110mm
- 2 PCS Bone Screw 06.0X130mm
- 1 PC Drill Bit 04.8mm
- 1 PC Allen Wrench 4mm
- 1 PC T-Wrench for bone screws 6.0mm

FX10-03 Small

- 2 PCS Bone Screw 05.0X110mm
- 2 PCS Bone Screw 05.0X120mm
- 1 PC Drill Bit 03.8mm
- 1 PC Allen Wrench 5mm
- 1 PC T-Wrench for bone screws 5.0mm

FX10-04 Extra Small

- 2 PCS Bone Screw 04.0X80mm
- 2 PCS Bone Screw 04.0X100mm
- 1 PC Drill Bit 03.2mm
- 1 PC Allen Wrench 4mm
- 1 PC T-Wrench for bone screws 4.0mm



T-Type System

T-Shape Type External Fixator

Self-aligning Articulated Body
Standard Central Body
Straight Clamp
T-Clamp
Compression-Distraction Unit Standard



FX11-01 Large

2 PCS Bone Screw
06.0X120mm 2 PCS Bone
Screw 06.0X140mm 1 PC Drill
Bit 04.8mm
1 PC Allen Wrench 6mm
1 PC T-Wrench for bone screws
6.0mm

FX11-03 Small

2 PCS Bone Screw 05.0X120mm
2 PCS Bone Screw 05.0X100mm
1 PC Drill Bit 03.8mm
1 PC Allen Wrench 5mm
1 PC T-Wrench for bone screws 5.0mm

FX11-02 Medium

2 PCS Bone Screw
06.0X130mm 2 PCS Bone
Screw 06.0X110mm 1 PC Drill
Bit 04.8mm
1 PC Allen Wrench 6mm
1 PC T-Wrench for bone screws 6.0mm

FX11-04 Extra Small

2 PCS Bone Screw
04.0X80mm 2 PCS Bone
Screw 04.0X100mm 1 PC
Drill Bit 03.2mm
1 PC Allen Wrench 4mm
1 PC T-Wrench for bone screws 4.0mm

Bone Lengthening External Fixator

- 2 PCS Straight Clamps
- 1 PC Compression Distraction Clicker
- 4 PCS Bone Screw 06.0X140mm
- 1 PC Drill Bit 04.8mm
- 1 PC Allen Wrench 6mm
- 1 PC T-Wrench for bone screws 6.0mm

Rail Length

- FX20.02.130 130mm
- FX20.02.250 250mm
- FX20.02.300 300mm
- FX20.02.350 350 MM.



Bone Lengthening External Fixator

- 1PC Straight Clamps 1PC Ring Hinge
- Compression Distraction Clicker 1PCS 4 PCS Bone Screw 06.0X140mm
- 1 PC Drill Bit 04.8mm
- 1 PC Allen Wrench 6mm
- 1 PC T-Wrench for bone screws 6.0mm

Rail Length

- FX20.04.130 130mm
- FX20.04.250 250mm
- FX20.04.300 300mm
- FX20.04.350 350 mm



Large External Fixator Set H-Series

FX24 Set Composition H-Series Large

FX24.01 Rod-Rod Coupling, LARGE 12	_____
FX24.02 Pin-Rod Coupling, LARGE 12	_____
FX24.03 5 Hole Pin Clamp, LARGE 3	_____
FX24.04 Post Straight, LARGE 2	_____
FX24.05 30° Angle Post, LARGE 4	_____
FX24.06.01 Self Drilling Pin Ø 5 x 120mm 4	_____
FX24.06.02 Self Drilling Pin Ø 5 x 150mm 8	_____
FX24.06.03 Self Drilling Pin Ø 5 x 180mm 4	_____
FX24.07 Protection Sleeve Ø 5mm 2	_____
FX24.08.200 Aluminium Rod Ø 8mm x 200mm 2	_____
FX24.08.250 Aluminium Rod Ø 8mm x 250mm 2	_____
FX24.08.300 Aluminium Rod Ø 8mm x 300mm 2	_____
FX24.11 Carbon Fiber Connecting Rod Ø 8mm x 200mm 2	_____
FX24.12 Carbon Fiber Connecting Rod Ø 8mm x 250mm 2	_____
FX24.13 Carbon Fiber Connecting Rod Ø 8mm x 300mm 2	_____
FX24.14 Arc Half Ring Rod, Large 214mm 2	_____
FX24.15 Arc Half Ring Rod, Small 134mm 2	_____
FX24.16 Stability Reduction Wrench, Large 1	_____
FX24.17 Wrench with Extension Bar, Large 1	_____
FX24.18 Quick Coupling Chuck for Shanz Screw Ø 5mm 1	_____
FX24.19 T Handle For Shanz Screw Ø 5mm 1	_____
FX24.20 Arc Drilling Stand, Large 1	_____
FX24.21 Thumbwheel 1	_____
FX24.22 Wrench, T Handle 7mm 1	_____
FX24.23 Box 1	_____



Meta-Diaphyseal System (PEEK)

FX56L Large

- 2 PCS Self-tapping Screw 06.0X120mm
- 2 PCS Self-tapping Screw 06.0X140mm
- 1 PC T-Wrench for bone screws 6.0mm
- 1 PC Spanner

FX56M Medium

- 2 PCS Self-tapping Screw 06.0X110mm
- 2 PCS Self-tapping Screw 06.0X130mm
- 1 PC T-Wrench for bone screws 6.0mm
- 1 PC Universal T-Wrench



Articulated Ankle System (PEEK)

FX57L Large

- 2 PCS Self-tapping Screw 06.0X120mm
- 2 PCS Self-tapping Screw 06.0X140mm
- 1 PC T-Wrench for bone screws 6.0mm
- 1 PC Spanner


FX57M Medium

- 2 PCS Self-tapping Screw 06.0X110mm
- 2 PCS Self-tapping Screw 06.0X130mm
- 1 PC T-Wrench for bone screws 6.0mm
- 1 PC Universal T-Wrench



Instrumentos para fijador externo multifunción unilateral:- FX51

- 01 Localizador ajustable
- 01 Cabezal de localizador ajustable recto – Pequeño
- 01 Cabezal localizador ajustable recto – Mediano/Grande
- 01 Cabezal localizador ajustable tipo T - Pequeño
- 01 Cabezal localizador ajustable tipo T – Mediano/Grande
- 01 Macho De Posición Ø 5MM
- 01 Macho Posición Ø 6MM
- 01 Martillo 2 uds. Manguito Ø 4MM
- 01 Manguito Ø 5MM
- 02 Manguito Ø 6MM
- 01 Broca con Tapón Ø 3,2 x 200mm
- 01 Broca con Tapón Ø 3,8 x 200mm
- 01 Broca con Tapón Ø 4,8 x 200mm
- 01 Llave Allen, Grande
- 01 Llave Allen, Mediana
- 01 Llave Allen, Pequeña
- 01 Llave Allen, extrapequeña
- 01 Caja 37 x 23 x 7 cm. aprox.



FX06	Externo Fijador Fragmento Distal Radio Cabezal Corto
	<i>Compuesto de :</i> * 02 Clavos de Schanz Φ 4.0 X 80 mm. * 02 Clavos de Schanz Φ 3.0 X 60 mm. * 01 Broca Φ 2.1 mm. * 01 Broca Φ 3.0 mm. * 01 Llave Tipo Allen 4 mm. * 01 Llave en T para Clavos Φ 4.0. 

FX07	Externo Fijador Fragmento Distal Radio , con Cabezal Largo Compresor /Distractor
	<i>Compuesto de :</i> * 03 Clavos de Schanz Φ 4.0 X 80 mm. * 03 Clavos de Schanz Φ 3.0 X 60 mm. * 01 Llave Tipo Allen 4 mm. * 01 Llave en T para Clavos Φ 4.0. 

FX08	Externo Fijador Fragmento Radio Distal , Fijador de Muñeca Dinámico para Fracturas Extra/Articulares y Osteotomías Correctivas.
	Compuesto de : * 02 Clavos de Schanz Φ 4.0 X 80 mm. * 02 Clavos de Schanz Φ 3.0 X 60 mm. * 01 Broca Φ 2.1 mm. * 01 Broca Φ 3.0 mm. * 01 Llave Tipo Allen 4 mm. * 01 Llave en T para Clavos Φ 4.0. 

FX09	Externo Fijador Fragmento Distal Radio Axial
	Compuesto de : * 02 Clavos de Schanz Φ 4.0 X 80 mm. * 02 Clavos de Schanz Φ 3.0 X 60 mm. * 01 Broca Φ 2.1 mm. * 01 Broca Φ 3.0 mm. * 01 Llave Tipo Allen 4 mm. * 01 Llave en T para Clavos Φ 4.0. 

FX13	Fijador Externo para Codo con Sistema Ajustable
	Compuesto de : * 02 Clavos de Schanz Φ 5.0 X 120 mm. * 02 Clavos de Schanz Φ 4.0 X 100 mm. * 01 Broca Φ 3.2 mm. * 01 Broca Φ 3.8 mm. * 01 Llave Tipo Allen 6 mm. * 01 Llave Tipo Allen 3 mm. * 01 Llave en T para Clavos Φ 5.0 

FX26	Fijador Externo para Antebrazo, Radio y Cubito .
	Compuesto de : * 02 Clavos de Schanz Φ 5.0 X 120 mm. * 02 Clavos de Schanz Φ 4.0 X 100 mm. * 01 Broca Φ 3.2 mm. * 01 Broca Φ 3.8 mm. * 01 Llave Tipo Allen 6 mm. * 01 Llave Tipo Allen 3 mm. * 01 Llave en T para Clavos Φ 5.0 

FX27	Fijador Externo para Humero
	Compuesto de : * 06 Clavos de Schanz Φ 4.0 X 100 mm. * 06 Rotulas Dobles Φ 3.0 / ϕ 4.0 mm. * 02 Rotulas Tubo a Tubo. * 02 Varillas de 220 mm. * 01 Varilla de 180 mm. * 01 Broca Φ 3.2 mm. * 01 Llave Tipo Allen. * 01 Llave en T para Clavos Schanz. 

FX30	Fijador Externo para Codo.
	Compuesto de : * 04 Clavos de Schanz Φ 4.0 X 120 mm. * 04 Rotulas Dobles Φ 4.0 / ϕ 4.5 mm. * 04 Rotulas Tubo a Tubo .. * 02 Varillas de 250 mm. * 01 Varilla de 300 mm.. * 01 Llave Tipo Allen * 01 Llave en T para Clavos Schanz 

FX42	Fijador Externo Unilateral para Dedo y Palma.
	Compuesto de : * 02 Clavos de Schanz Φ. 2.5 * 02 Rotulas * 01 Llave Tipo Allen * 02 Barras 

Rotulas para Sistema Tubular con de Φ 11 mm., Clavos Schanz de 4.5 mm.
5.0 mm. / 6.0 mm.

EXTERNAL FIXATORS



SINGLE PIN CLAMP [Deluxe]



DOUBLE PIN CLAMP



OPEN CLAMP



CONNECTING CLAMP



TUBULAR ROD

Length mm	100	125	150	200	250	300	350	400	450	500
-----------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



TUBE TO TUBE CLAMP



TRANSVERSE CLAMP



TWIN CLAMP (STRAIGHT)



TWIN CLAMP (CURVED)



Apothecaries Sundries Manufacturing Co.



www.mendgroup.com.pe